

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





CE TYPE APPROVAL CERTIFICATE

n. 158160801/TE

2016/02/24

This is a TRANSLATION of the original CE-Certificate issued in Italian

This is to certify, that the hereunder described items of Personal Protective Equipment have overcome positively the "CE type examination", proving their conformity to the safety and health requirements of the Directive 89/686/EEC.

Manufacturer:	G <mark>RI</mark> SPORT SpA calzaturificio		
(Responsible of the PPE)	31030 CASTELCUCCO (TV) – Via Erega, 1 - ITALIA		
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I		
	(= footwear in leather and other materials, excluding all-rubber or all-polymeric footwear)		
Category of PPE:	II: Personal Protective Equipment against "medium" risks. This certificate is based on reference standards listed below: its validity is no longer		
	ensured should new version of the standards come into force.		
Model	"33130-70416"		
Description:	model: B (ankle boot);		
	<u>fastening</u> : laces; processing: direct injection;		
Par	outsole: black vulcanized rubber marked "SAFETY VERA GOMMA MADE IN ITALY HRO OIL RESISTANT ANTISTATIC ABS ANTI SHOCK (cod. 2137/BCP/00 – 022/1/00);		
	<u>midsole</u> : coffie-coloured, foamed PU (cod. MPI/001); <u>upper</u> : black leather DAKAR TREKKING CE (cod. DAC/NER), with an insert "SUPPORT		
	SYSTEM" in black polymeric material in the heel zone (cod. G016NG) and outer toetip reinforcement in the same material of the midsole:		
TOP	<u>collar and inserts of the upper</u> : black idro leather (cod. PID/NER) with a grey insert in retro-reflective material "MOON LIGHT/ORLUX 47" (cod. MOX/47);		
	tongue/bellows: black idro leather(cod. PID/NER), lined and padded;		
	<u>vamp lining</u> : black non-woven material "AITELLE" matched with foam material (cod. FCA/NEC);		
	<u>rear/quarter lining</u> : black leather (cod. PEL/NER);		
	insole: beige non-woven material "IBITECH 252 STRONG" (cod. ST2/GRI); removable insock: anatomic, in foam material covered by black pig leather in the zone		
	which is in contact with the foot and with an insert in aluminium sewed with antistatic thread in the forepart (cod. FMAN+CA);		
	penetration-resistant insert: steel SAFIT art. 0785 (cod. SOTANT);		
	toecap: reinforced, perforated steel "SAFIT 604 FR" (cod. 604 ACRF).		
Technical Standard:	EN ISO 20344:2011 Personal protective equipment – Test methods for		
	(UNI EN ISO 20344:2012) footwear		
	EN ISO 20345:2011 Personal protective equipment – Safety footwear (UNI EN ISO 20345:2012)		
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.		
Size range:	From 39 to 47.		
Technical File:	DC-7047/E (including Application to RCT and Technical Documents).		
Test report:	RCT n°350640.		
Basis of evaluation:	applicable requirements o <mark>f Eu</mark> rop <mark>ean</mark> Directive 89/686/EEC and reference Standards.		



PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





CE TYPE APPROVAL CERTIFICATE

		n. 158160801/TE	2016/02/24
	This is a TRANSLATION	of the original CE-Certificate issued in Italian	٦
Functions and performance levels:	basic requirements for safety footwear (see Table 2 and 3 of EN ISO 20345:2011): all mandatory ones, among w <mark>hic</mark> h:		
	SRC(*)= Slip resistance - meets the following requirement: - surface: ceramic / lubricant: detergent solution; - surface: steel / lubricant: glycerol.		
	S3= closed seat regit to fuel oil of the outs upper), penetration	ents (Tab. 18 and 20 of EN ISO 20345:2011): ion, antistatic properties, energy absorption sole, water penetration resistance and abso resistance, cleated outsole; HRO= resistance sulation of sole complex.	rption (water-repellent
	(*)= the final level of the	he anti-slip features is achieved after the first hour	s of trial stage.
(see example below)	(and any su Name/Trade the footwee designation nr. and yea safety symb size of footw date of prod	attesting PPE conformity to all the provisions ubsequent amendments); emark of the Manufacturer (marked on the ar and on the tongue); of the footwear (numeric code: unique/und r of the Technical Harmonized Standard of re pols; vear (also printed on the outsole); duction (month + year); nformation: internal codes.	lateral external side of ambiguous);
C E 20 10 33130-70410 HRO HI 3 XXXX 7270 41	5 53 SRC (XX 1		
	X		

Note: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).