Lighting

PHILIPS



MASTER Value Glass LED bulbs

MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Color Code	927 [CCT of 2700K]
Luminous Flux	806 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 К
Luminous Efficacy (rated) (Nom)	136.00 lm/W
Color Consistency	<6

Color rendering index (CRI)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Flickering value (PstLM)	1
Stroboscopic effect value (SVM)	0.4
Photobiological safety according to EN 624	71 RG0
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	5.9 W
Lamp Current (Nom)	35 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7


A ↑ G

MASTER Value Glass LED bulbs

Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]
Approval and Application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	6 kWh
EPREL Registration Number	574362

EyeComfort	Yes
Product Data	
Order product name	MAS VLE LEDBulb D5.9-60W E27 927
	A60 FRG
Full product name	MAS VLE LEDBulb D5.9-60W E27 927
	A60 FRG
Full product code	871951434786100
Order code	929003057702
Material Nr. (12NC)	929003057702
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514347861
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514347878

Dimensional drawing




Product D C MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG 60 mm 104 mm

Photometric data

		1 + 9290333577 5.PW
		1 4 809 20
Transmitter for the	Quelle admoter dayon 1	ICR shapon
	Additional of the state of the	10 10 10 10 10 10 10 10 10 10 10 10 10 1
TA AT		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
H SOL		1.000
KY VI		
N-1-1-12	· • • • • • • • • • • • • • • • • • • •	
		uneuro 164
trans. if	Address for a set of second se	
COLUMN DWARD F		

Philes Lahore


General uniform lighting - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG



Light Distribution Diagram - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG


MASTER Value Glass LED bulbs

Photometric data



Spectral Power Distribution Colour - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG

Lifetime



Life Expectancy Diagram - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG

Lumen Maintenance Diagram - MAS VLE LEDBulb D5.9-60W E27 927 A60 FRG



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.