

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 1/17



Isseud by: S.K.

Confirmed by: G.L.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Productname	Kelfort ® Polysoft plamuur wit 1.5kg/45g 2-component - Hardener
Article number	1516236 - Second part - Hardener
Producttype	Mixture
Regulation	(EC) No. 1907/2006 and Regulation (EC) No. 1272/2008
UFI- code	1Y10-E04C-H00W-WWN3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Fillers, sealant, plaster, modelling clay
Uses advised against	Not known

1.3 Details of the supplier of the safety data sheet

Distributeur Ferney Group BV
Postbus 24; 1700 AA Heerhugowaard - The Netherlands
T +31 (0)72-5765000 - F +31 (0)72-5765010
bedrijfsbureau@ferneygroup.nl - www.ferney.nl

1.4 Emergency telephone number

Noodtelefoon : +49(0)9366-907126 (ma-do 7.15-18.00 hour) or
: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government institutions)

Country	Organisation/ Company	Address	Emergency number	Comments
The Netherlands	National Poisons Information Center	House post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	For the sole purpose of informing healthcare professionals in the event of acute poisoning

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Organic peroxides	Type E - (H242)
Eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Hazardous to the aquatic environment - acute	Category 1 - (H400)
Hazardous to the aquatic environment - chronic	Category 1 - (H410)

2.2. Label elements

Contains Dibenzoyl peroxide

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 2/17



Isseud by: S.K.

Confirmed by: G.L.



Signal word
Warning

Hazard statements

H242 - Heating may cause a fire.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P102 - Keep out of reach of children
P280 - Wear protective gloves, protective clothing, eye protection and face protection
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P403 + P235 - Store in a well-ventilated place. Keep cool
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Additional information

This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.

2.3. Other hazards

No information available.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 3/17



Isseud by: S.K.

Confirmed by: G.L.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Dibenzoyl peroxide 94-36-0	40 - <80	01-2119511472 -50-XXXX	202-327-6 (617-008-00-0)	Eye Irrit. 2 (H319) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) Org. Perox. B (H241)	-	10	10	-
Dimethyl phthalate 131-11-3	>25 - <40	01-2119437229 -36-XXXX	205-011-6	-	-	-	-	-
Ethylene glycol 107-21-1	5 - <10	01-2119456816 -28-XXXX	203-473-3 (603-027-00-1)	Acute Tox. 4 (H302) STOT RE 2 (H373)	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Dibenzoyl peroxide	202-327-6 (617-008-00-0)	94-36-0	-	-	-	-	-
Dimethyl phthalate	205-011-6	131-11-3	-	-	-	-	-
Ethylene glycol	203-473-3 (603-027-00-1)	107-21-1	-	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 4/17



Issued by: S.K.

Confirmed by: G.L.

Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a doctor.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray or fog is preferred; if water not available use dry chemical, CO ₂ or regular foam. Flood fire area with water from a distance. Use water spray or fog; do not use straight streams. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Unsuitable extinguishing media	No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	These substances will accelerate burning when involved in a fire. Some may burn rapidly with flare burning effect. Some may decompose explosively when heated or involved in a fire. May ignite combustibles (wood paper, oil, clothing, etc.). Runoff may create fire or explosion hazard. Keep product and empty container away from heat and sources of ignition. Product is or contains a sensitiser. May cause sensitisation by skin contact.
---	--

Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO ₂). Hydrocarbons. Benzene. Benzoic acid. Biphenyl. Phenyl benzoate.
--------------------------------------	--

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Oxidiser. May ignite combustibles (wood paper, oil, clothing, etc.). Some may burn rapidly with flare burning effect. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do it without risk. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible withdraw from area and let fire burn.
---	--

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 5/17



Isseud by: S.K.

Confirmed by: G.L.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See section 8 for more information. Stop leak if you can do it without risk. DO NOT CLEAN-UP OR DISPOSE OF, EXCEPT UNDER SUPERVISION OF A SPECIALIST. Use personal protective equipment as required.
Other information	Keep combustibles (wood, paper, oil, etc) away from spilled material. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
----------------------------------	--

6.3. Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk.
Methods for cleaning up	Cover powder spill with plastic sheet or tarp to minimise spreading. Take up with inert, damp, non-combustible material using clean non-sparking tools and place into loosely covered plastic containers for later disposal. Flush area with flooding quantities of water. Prevent product from entering drains. Keep dry.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections	See section 8 for more information. See section 13 for more information.
------------------------------------	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin, eyes or clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Use only with adequate ventilation. Do not siphon by mouth. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash it before reuse. This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.
--------------------------------	--

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 6/17



Isseud by: S.K.

Confirmed by: G.L.

General hygiene considerations Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep containers tightly closed in a dry, cool and well-ventilated place.

Recommended storage temperature Keep at temperatures between 5 and 25 °C.

7.3. Specific end use(s)

Specific use(s)
Hardener.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Ireland	United Kingdom
Dibenzoyl peroxide 94-36-0	-	TWA: 5 mg/m ³ ; STEL: 15 mg/m ³ (calculated);	TWA: 5 mg/m ³ ; STEL: 15 mg/m ³ ;
Dimethyl phthalate 131-11-3	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ ;	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ ;
Ethylene glycol 107-21-1	TWA: 20 ppm; TWA: 52 mg/m ³ ; STEL: 40 ppm; STEL: 104 mg/m ³ ; pSk	TWA: 20 ppm; TWA: 52 mg/m ³ ; STEL: 40 ppm; STEL: 104 mg/m ³ ; pSk	TWA: 10 mg/m ³ ; particulate TWA: 20 ppm; vapour TWA: 52 mg/m ³ ; vapour STEL: 40 ppm; vapour STEL: 104 mg/m ³ ; vapour STEL: 30 mg/m ³ ; particulate pSk

Derived No Effect Level (DNEL) No information available

Safety data sheets Ferney Group BV

Date : 20-05-2025
 VVFK(E) : 08/1516236
 Rev : G
 Page : 7/17



Isseud by: S.K.	Confirmed by: G.L.
-----------------	--------------------

Derived No Effect Level (DNEL)			
Dibenzoyl peroxide (94-36-0)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	39 mg/m ³	
worker Long term Systemic health effects	Dermal	13 mg/kg bw/d	

Dimethyl phthalate (131-11-3)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
DNEL Long term Systemic health effects worker	Inhalation	66.1 mg/m ³	
DNEL Long term Systemic health effects worker	Dermal	135 mg/kg bw/d	

Ethylene glycol (107-21-1)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	35 mg/m ³	

Derived No Effect Level (DNEL)			
Dibenzoyl peroxide (94-36-0)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Oral	2 mg/kg bw/d	

Ethylene glycol (107-21-1)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	53 mg/kg bw/d	
Consumer Long term Local health effects	Inhalation	7 mg/m ³	

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 8/17



Isseud by: S.K.

Confirmed by: G.L.

Predicted No Effect Concentration (PNEC) No information available.

Predicted No Effect Concentration (PNEC)	
Dibenzoyl peroxide (94-36-0)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.02 µg/l
Marine water	0.002 µg/l
Freshwater sediment	0.013 mg/kg dry weight
Marine sediment	0.001 mg/kg dry weight
Soil	0.003 mg/kg dry weight
Microorganisms in sewage treatment	0.35 mg/l

Dimethyl phthalate (131-11-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.192 mg/l
Marine water	0.019 mg/l
Sewage treatment plant	4 mg/l
Freshwater sediment	1.3 mg/kg dry weight
Marine sediment	0.13 mg/kg dry weight
Soil	3.16 mg/kg dry weight

Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	20.9 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l
Freshwater - intermittent	10 mg/l

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Eye/face protection Tight sealing safety goggles. Gloves must conform to standard EN 374
Skin and body protection Wear protective nitrile rubber gloves. Wear appropriate personal protective clothing to prevent skin contact. Protective shoes or boots.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid
Appearance Paste
Colour Multiple Colours
Odour Characteristic.

Property	Values	Remarks • Method
Melting point / freezing point	= 0 °C	None known
Initial boiling point and boiling	No data available	Decomposition occurs prior to the endpoint

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 9/17



Isseud by: S.K.

Confirmed by: G.L.

range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	Decomposition occurs prior to the endpoint
Autoignition temperature	No data available	None known
Decomposition temperature	50 °C	SADT (self-accelerating decomposition temperature)
pH	4 - 5	None known.
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	172000 - 754000 mm ² /s	@ 20 °C
Dynamic viscosity	215000 - 867000 mPa s	
Water solubility	Insoluble in water.	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	1.10	
Bulk density	No data available	
Density	1.15 - 1.25 g/cm ³	
Relative vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		No data available

9.2.1. Information with regards to physical hazard classes
Not applicable

9.2.2. Other safety characteristics
No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Oxidiser.

10.2. Chemical stability

Stability May cause fire or explosion; strong oxidiser.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 10/17



Isseud by: S.K.

Confirmed by: G.L.

Conditions to avoid Heat, flames and sparks. Incompatible materials.

10.5. Incompatible materials

Incompatible materials Organic material. Combustible material. Hydrocarbons.

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions. Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	5,050.50 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dibenzoyl peroxide	LD50 > 2000 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC0 (4h) =24.3 mg/L (Rattus) Dust (OECD 403)
Dimethyl phthalate	LD50 8200 mg/kg (Rattus)	> 12 000 mg/kg (Oryctolagus cuniculus)	-
Ethylene glycol	LD50 > 3200 mg/kg	= 10600 mg/kg (Rattus) = 9530 µL/kg (Oryctolagus cuniculus)	> 2.5025 mg/L (Rat) 6 h

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 11/17



Issued by: S.K.

Confirmed by: G.L.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Dibenzoyl peroxide (94-36-0)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404: Acute Dermal Irritation/Corrosion		Dermal			Non-irritant

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Dibenzoyl peroxide (94-36-0)		
Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Based on available data, the classification criteria are not met 1000 mg/kg bw

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Dibenzoyl peroxide (94-36-0)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test	Rat	Oral		91 days	NOAEL: 1000 mg/kg

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Safety data sheets Ferney Group BV

Date : 20-05-2025
 VVFK(E) : 08/1516236
 Rev : G
 Page : 12/17



Isseud by: S.K.	Confirmed by: G.L.
-----------------	--------------------

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

Note: PC-ADH-8 Multi-component adhesives and sealants This product is part of a kit Please also refer to the SDS for the other component(s) of the kit

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Dibenzoyl peroxide 94-36-0	ErC50 (72h) = 0.0711 mg/l (Pseudokirchneriella subcapitata) OECD 201	LC50 (96h) =0.0602 (Oncorhynchus mykiss) Semi static	-	EC50 (48h) = 0.11 mg/L (Daphnia magna static)	10	10
Dimethyl phthalate 131-11-3	EC50: =204mg/L (72h, Desmodesmus subspicatus) EC50: 28.4 - 71mg/L (72h, Pseudokirchneriella subcapitata) EC50: =142mg/L (96h, Pseudokirchneriella subcapitata) EC50: 20.6 - 45.8mg/L (96h, Pseudokirchneriella subcapitata) EC50: =26.1mg/L (96h, Skeletonema c	LC50: =121mg/L (96h, Pimephales promelas) LC50: 37 - 69mg/L (96h, Lepomis macrochirus) LC50: =49.5mg/L (96h, Lepomis macrochirus) LC50: =56mg/L (96h, Oncorhynchus mykiss) LC50: 100 - 220mg/L (96h, Leuciscus idus) LC50: =39mg/L (96h, Pimephales promelas)	-	EC50: =33mg/L (48h, Daphnia magna)		
Ethylene glycol 107-21-1	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50 96 h = 16000 mg/L (Poecilia reticulata static)	EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min	EC50: =46300mg/L (48h, Daphnia magna)		

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 13/17



Isseud by: S.K.

Confirmed by: G.L.

12.2. Persistence and degradability

Persistence and degradability No information available.

Dibenzoyl peroxide (94-36-0)			
Method	Exposure time	Value	Results
OECD Test No. 301D: Ready Biodegradability: Closed Bottle Test (TG 301 D)	28 days	biodegradation 68%	Data inconclusive
OECD Test No. 301C: Ready Biodegradability: Modified MITI Test (I) (TG 301 C)	21 days	biodegradation 100%	Readily biodegradable

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Dibenzoyl peroxide	3.2
Dimethyl phthalate	1.54
Ethylene glycol	-1.36

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
Dibenzoyl peroxide	Not PBT/vPvB
Dimethyl phthalate	Not PBT/vPvB
Ethylene glycol	Not PBT/vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

Other information Waste codes should be assigned by the user based on the application for which the product was used.

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 14/17



Issued by: S.K.

Confirmed by: G.L.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1 UN number or ID number	UN3108
14.2 UN proper shipping name	Organic peroxide type E, solid (Dibenzoyl peroxide)
14.3 Transport hazard class(es)	5.2
Labels	5.2
14.4 Packing group	Not regulated
Description	UN3108, Organic peroxide type E, solid (Dibenzoyl peroxide), 5.2, (D), Environmentally Hazardous
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	122, 274
Classification code	P1
Tunnel restriction code	(D)
Limited quantity (LQ)	500 g

IMDG

14.1 UN number or ID number	UN3108
14.2 UN proper shipping name	Organic peroxide type E, solid (Dibenzoyl peroxide)
14.3 Transport hazard class(es)	5.2
14.4 Packing group	Not regulated
Description	UN3108, Organic peroxide type E, solid (Dibenzoyl peroxide), 5.2, Marine pollutant
14.5 Marine pollutant	P
14.6 Special precautions for user	
Special Provisions	122, 274
Limited Quantity (LQ)	500 g
EmS-No.	F-J, S-R
14.7 Maritime transport in bulk according to IMO instruments	
Transport in bulk according to Annex II of MARPOL and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number	UN3108
14.2 UN proper shipping name	Organic peroxide type E, solid (Dibenzoyl peroxide)
14.3 Transport hazard class(es)	5.2
14.4 Packing group	Not regulated
Description	UN3108, Organic peroxide type E, solid (Dibenzoyl peroxide), 5.2
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Special Provisions	A20, A802
Limited quantity (LQ)	Forbidden
ERG Code	5L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 15/17



Isseud by: S.K.

Confirmed by: G.L.

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Dangerous substance category per Seveso Directive (2012/18/EU)

P6b - SELF-REACTIVE SUBSTANCES AND MIXTURES and ORGANIC PEROXIDES
E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

Ozone-depleting substances (ODS) regulation (EC) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H241 - Heating may cause a fire or explosion

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 16/17



Issued by: S.K.

Confirmed by: G.L.

H373 - May cause damage to organs through prolonged or repeated exposure
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT RE: Specific target organ toxicity - Repeated exposure

STOT SE: Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IATA: International Air Transport Association

ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG: International Maritime Dangerous Goods

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

AGW Occupational exposure limit value

BGW

Biological limit value

Ceiling Maximum limit value

Sk*

Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Organic peroxides	On basis of test data

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGl(s))

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

NIOSH (National Institute for Occupational Safety and Health)

Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications

Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme

Organisation for Economic Co-operation and Development Screening Information Data Set

Safety data sheets Ferney Group BV

Date : 20-05-2025
VVFK(E) : 08/1516236
Rev : G
Page : 17/17



Issued by: S.K.

Confirmed by: G.L.

Prepared By Product Safety & Regulatory Affairs

Revision date 20-May-2025

Training Advice No information available

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.