

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 1/16



Opgesteld door: IM

Bekrachtigd door: GL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Productname	Kelfort ® secondenlijm
Article number	1516443
Producttype	Mixture
Regulation	Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use	This product is a cyanoacrylate-bases adhesive
Uses advised against	None known

1.3 Details of the supplier of the safety data sheet

Distributeur Ferney Group BV
Postbus 24
1700 AA Heerhugowaard – The Netherlands
T +31 (0)72-5765000 - F +31 (0)72-5765010
bedrijfsbureau@ferneygroup.nl - www.ferney.nl

1.4 Emergency telephone number

Noodtelefoon : +49(0)9366-907126 (ma-do 7.15-18.00 hour) or
: +31(0)88-7558000 (after worktime, exclusive use for doctors, pharmacists and government institutions)

Country	Organisation/ Company	Address	Emergency number	Comments
The Netherlands	National Poisons Information Center	House post number B.00.118 PO Box 85500 3508 GA Utrecht	+31 88 755 80 00	For the sole purpose of informing healthcare professionals in the event of acute poisoning

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVK(E) : 10/1516443
Rev : F
Page : 2/16



Opgesteld door: IM

Bekrachtigd door: GL

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Category 3 Target organ effects: Respiratory irritation.	

2.2. Label elements

Contains ethyl-2-cyanoacrylate



Signal word
Warning

Hazard statements

H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.

EU Specific Hazard Statements

EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves, eye protection and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Polymerises with evolution of heat. Bonds skin and eyes in seconds.

PBT & vPvB

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 3/16



Opgesteld door: IM

Bekrachtigd door: GL

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
ethyl-2-cyanoacrylate 7085-85-0	80 - 100	01-2119527766 -29-XXXX	230-391-5 (607-236-00-9)	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) STOT SE 3 (H335)	STOT SE 3 :: C>=10%	-	-	-
Hydroquinone 123-31-9	0.05 - <0.1	01-2119524016 -51-XXXX	204-617-8 (604-005-00-4)	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Muta. 2 (H341) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	-	10	1	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	EC No (EU Index No)	CAS No.	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
ethyl-2-cyanoacrylate	230-391-5 (607-236-00-9)	7085-85-0	-	-	-	-	-
Hydroquinone	204-617-8 (604-005-00-4)	123-31-9	390	-	-	-	-

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 4/16



Opgesteld door: IM

Bekrachtigd door: GL

Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.
Eye contact	If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. Wash off immediately with soap and plenty of water for at least 15 minutes. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do not remove clothing if adhering to skin. Polymerises with evolution of heat.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	May cause redness and tearing of the eyes. Burning sensation.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Do not force eyes or any bonded skin apart. Skin which is glued or stuck together by accident should never be surgically removed. Even without any special treatment, it is only a matter of time until cyanoacrylate glues come off one's skin, eyes, or mouth, due to the effect of skin moisture, sweat, tears, or saliva. The effect can be supported by water and soap and/or use of fatty protective skin lotion or oil.
------------------------	--

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Full water jet.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 5/16



Opgesteld door: IM

Bekrachtigd door: GL

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical Bonds skin and eyes in seconds.

Hazardous combustion products Nitrogen oxides (NOx).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. See section 8 for more information.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Keep from any possible contact with water. Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off floor.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 6/16



Opgesteld door: IM

Bekrachtigd door: GL

with skin, eyes or clothing. Use personal protection equipment. Do not eat, drink or smoke when using this product. See section 8 for more information. Take off contaminated clothing and wash it before reuse. Ensure adequate ventilation. Avoid breathing vapours or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from food, drink and animal feedingstuffs. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from water or moist air.

Recommended storage temperature For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C. Do not freeze.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 7/16



Opgesteld door: IM

Bekrachtigd door: GL

7.3. Specific end use(s)

Specific use(s)

This product is a cyanoacrylate-based adhesive.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

Derived No Effect Level (DNEL)			
Hydroquinone (123-31-9)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Dermal	3.33 mg/kg bw/d	
worker Long term Systemic health effects	Inhalation	2.1 mg/m ³	

Derived No Effect Level (DNEL)			
Hydroquinone (123-31-9)			
Type	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Dermal	1.66 mg/kg bw/d	
Consumer Long term Systemic health effects	Inhalation	1.05 mg/m ³	
Consumer	Oral	0.6 mg/kg bw/d	
Long term Systemic health effects			

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 8/16



Opgesteld door: IM

Bekrachtigd door: GL

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)	
Hydroquinone (123-31-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.57 µg/l
Freshwater - intermittent	1.34 µg/l
Marine water	0.057 µg/l
Freshwater sediment	0.0049 mg/kg dry weight
Marine sediment	0.00049 mg/kg dry weight
Soil	0.00064 mg/kg dry weight
Sewage treatment plant	0.71 mg/l

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection

Recommended Use: Nitrile rubber. Glove thickness > 0.4 mm. Latex gloves. Polyethylene. Polypropylene. Glove thickness >= 0.15 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

None under normal use conditions.

Recommended filter type:

Organic gases and vapours filter conforming to EN 14387. Brown. White.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Colour	Colourless
Odour	Characteristic. Pungent.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 9/16



Opgesteld door: IM

Bekrachtigd door: GL

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	
Initial boiling point and boiling range	≥ 150 °C	
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	≥ 87 °C	CC (closed cup)
Autoignition temperature	500 °C	
Decomposition temperature		None known
pH	No data available	Not applicable. Reacts with water.
pH (as aqueous solution)	No data available	
Kinematic viscosity	No data available	
Dynamic viscosity	No data available	

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 10/16



Opgesteld door: IM

Bekrachtigd door: GL

Water solubility	Insoluble in water. with moisture	Product cures	Polymerisation can occur	Reacts with water
Solubility(ies)	No data available			
Partition coefficient	No data available			
Vapour pressure	No data available			
Relative density	1.05			
Bulk density	No data available			
Liquid Density	1.05 g/cm³			
Relative vapour density	No data available			
Particle characteristics				
Particle Size	No information available			
Particle Size Distribution	No information available			

9.2. Other information

Solid content (%)	No information available	
VOC content		No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Product cures with moisture.
-------------------	------------------------------

10.2. Chemical stability

Stability	Reacts with water.
------------------	--------------------

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None under normal processing.
---	-------------------------------

Hazardous polymerisation	Polymerisation can occur.
---------------------------------	---------------------------

10.4. Conditions to avoid

Conditions to avoid	Protect from moisture. Exposure to water.
----------------------------	---

10.5. Incompatible materials

Incompatible materials	Alcohols. Alkali. Amines. Water.
-------------------------------	----------------------------------

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 11/16



Opgesteld door: IM

Bekrachtigd door: GL

10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. Bonds skin and eyes in seconds. Causes skin irritation. (based on components).
Ingestion	Based on available data, the classification criteria are not met. Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	>2000 mg/kg
ATEmix (dermal)	>2000 mg/kg
ATEmix (inhalation-gas)	>20000 ppm
ATEmix (inhalation-dust/mist)	>5 mg/l
ATEmix (inhalation-vapour)	>20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD 401	>2000 mg/Kg (Oryctolagus cuniculus) OECD 402	<21.1 mg/L (Rattus) 1 h
Hydroquinone	390 mg/kg (Rattus)	= 74800 mg/kg (Oryctolagus cuniculus)	-

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 12/16



Opgesteld door: IM	Bekrachtigd door: GL
--------------------	----------------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information		
Hydroquinone (123-31-9)		
Method	Species	Results
OECD Test No. 476: In Vitro Mammalian Cell Gene Mutation Tests using the Hprt and xprt	Mouse	Mutagenic
genes		

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	European Union
Hydroquinone	Muta. 2

Carcinogenicity Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information		
Hydroquinone (123-31-9)		
Method	Species	Results
OECD Test No. 453: Combined Chronic Toxicity/Carcinogenicity Studies	Rat	Limited evidence of a carcinogenic effect
Chemical name	European Union	
Hydroquinone	Carc. 2	

Reproductive toxicity Based on available data, the classification criteria are not met.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 13/16



Opgesteld door: IM

Bekrachtigd door: GL

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-		
Hydroquinone 123-31-9	EC50: =0.335mg/L (72h,	LC50 96 h = 0.044 mg/L (Oncorhynchus	EC50 = 0.038 mg/L 15 min EC50 = 0.0382	EC50: =0.29mg/L (48h, Daphnia magna)	10	1
	Pseudokirchneri ella subcapitata)	mykiss flow-through)	mg/L 30 min EC50 = 0.042 mg/L 5 min EC50 = 23.75 mg/L 60 min			

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hydroquinone	0.59

12.4. Mobility in soil

Mobility in soil No information available.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 14/16



Opgesteld door: IM

Bekrachtigd door: GL

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment Based on available data, the classification criteria are not met.

Chemical name	PBT and vPvB assessment
ethyl-2-cyanoacrylate	The substance is not PBT / vPvB
Hydroquinone	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects

Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note: Applies only during air transport.

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 15/16



Opgesteld door: IM

Bekrachtigd door: GL

Land transport (ADR/RID)

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	None

IMDG

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	NP
14.6 Special precautions for user	
Special Provisions	None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number	UN3334
14.2 UN proper shipping name	Aviation regulated liquid, n.o.s. (ethyl-2-cyanoacrylate)
14.3 Transport hazard class(es)	9
14.4 Packing group	III
Description	UN3334, Aviation regulated liquid, n.o.s. (ethyl-2-cyanoacrylate), 9, III
14.5 Environmental hazards	Not applicable
14.6 Special precautions for user	
Special Provisions	A27
Limited quantity (LQ)	30 kg G
ERG Code	9A

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 16/16



Opgesteld door: IM

Bekrachtigd door: GL

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Export Notification requirements

This product does not contain substances which are regulated pursuant to Regulation (EC) No. 649/2012 of the European parliament and of the council concerning the export and import of dangerous chemicals above the level that triggers a labeling obligation under Regulation (EC) No 1272/2008. Therefore this product is not subject to prior informed consent notification.

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

Not applicable

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 17/16



Opgesteld door: IM

Bekrachtigd door: GL

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
ethyl-2-cyanoacrylate 7085-85-0	RG 66
Hydroquinone 123-31-9	RG 65

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV

No flammable liquids in accordance with BetrSichV

Water hazard class (WGK) slightly hazardous to water (WGK 1)

TRGS - 510 Storage Class Storage Class 10 : Combustible liquids
TA Luft (German Air Pollution Control Regulation)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

Not Listed

Denmark

Registration number(s) (P-no.) No information available

Norway

Registration number(s) (PRN-no.) No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H302 - Harmful if swallowed
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H318 - Causes serious eye damage
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H341 - Suspected of causing genetic defects
H351 - Suspected of causing cancer
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 18/16



Opgesteld door: IM

Bekrachtigd door: GL

SVHC: Substances of Very High Concern for Authorisation:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT RE: Specific target organ toxicity - Repeated exposure
STOT SE: Specific target organ toxicity - Single exposure
EWC: European Waste Catalogue
LOW: List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IATA: International Air Transport Association
ICAO: ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG: International Maritime Dangerous Goods
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

Legend SECTION 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
AGW	Occupational exposure limit value	BGW	Biological limit value
Ceiling	Maximum limit value	Sk*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AELG(s))
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
NIOSH (National Institute for Occupational Safety and Health)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set

Safety data sheets Ferney Group BV

Date : 22-06-2026
VVFK(E) : 10/1516443
Rev : F
Page : 19/16



Opgesteld door: IM

Bekrachtigd door: GL

Revision date 10-Mar-2025

Revision Note SDS sections updated 14

Training Advice When working with hazardous materials, regular training of operators is required by law

Further information No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.