

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2015/08/21 Revision date: 2019/10/02 Version: 1.2

SECTI	ON 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1.	Product identifier	
Product	form	: Mixture
Trade na	ime	: WS 1501 S
Product	code	: 1501S00
Vaporize	r	: Aerosol
Product	group	: Trade product
1.2.	Relevant identified uses of the subs	ance or mixture and uses advised against
1.2.1.	Relevant identified uses	
	I/Professional use spec	: Industrial
maastila		For professional use only
1.2.2.	Uses advised against	
No addit	ional information available	
1.3.	Details of the supplier of the safety of	lata sheet
C/Aiguaf P-Indust 08480 A T 0034 9	SPRAY, S.L. reda 24 rial Ametila Park METLLA DEL VALLÉS - SPAIN i3 882 77 12 ray@whalespray.com - www.whalespray	<u>.com</u>
1.4.	Emergency telephone number	
Emerger	ncy number	: 0034 93 882 77 12
SECTI	ON 2: Hazards identification	
2.1.	Classification of the substance or m	ixture
	cation according to Regulation (EC) N Category 1 H2	o. 1272/2008 [CLP] 22;H229
Full text	of H statements : see section 16	
	physicochemical, human health and ional information available	environmental effects
2.2.	Label elements	
Labellin	g according to Regulation (EC) No. 12	72/2008 [CLP]
Hazard p	bictograms (CLP)	: GH502
Signal w	ord (CLP)	: Danger
-	statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated.
Precautio	onary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 122 °F, 50 °C.
EUH-sta	tements	: EUH208 - Contains calcium bis(dinonylnaphthalenesulphonate)(57855-77-3). May produce an allergic reaction.

2.3. Other hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas	(CAS-No.) 68512-91-4 (EC-No.) 270-990-9 (EC Index-No.) 649-083-00-0 (REACH-no) 02-2119737773-30	20 - 40	Flam. Gas 1, H220 Press. Gas
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0	10 - 20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
calcium bis(dinonylnaphthalenesulphonate)	(CAS-No.) 57855-77-3 (EC-No.) 260-991-2	1 - 2,5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 4, H413
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	(CAS-No.) 70024-69-0 (EC-No.) 274-263-7	1 - 2,5	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ubstance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release mea	asures
	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according	to Regulation (EC) No. 1907/2006 (REACH)	Mith its amendment Regulation (EO) 2015/630
6.2.	Environmental precautions	
Prever	t entry to sewers and public waters. Not	fy authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containm	nent and cleaning up
Metho	ds for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collec spillage. Store away from other materials.
6.4.	Reference to other sections	
See H	eading 8. Exposure controls and persona	Il protection.
SECT	FION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precau	itions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
7.2.	Conditions for safe storage, includ	ing any incompatibilities
Storag	e conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incom	patible products	: Strong bases. Strong acids.
Incom	patible materials	: Sources of ignition. Direct sunlight.
7.3.	Specific end use(s)	
No add	litional information available	

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)		
Portugal	Local name	2-Butoxietanol (EGBE)
Portugal	OEL TWA (ppm)	20 ppm
United Kingdom	Local name	2-Butoxyethanol
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	246 mg/m ³
United Kingdom	WEL STEL (ppm)	50 ppm
United Kingdom	Remark (WEL)	Sk, BMGV

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Respiratory protection:

Wear appropriate mask



Other information:

Do not eat, drink or smoke during use.

SECTI	SECTION 9: Physical and chemical properties	
9.1.	Information on basic physical and	chemical properties
Physical	state	: Liquid
Colour		: amber.
Odour		: characteristic.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 41 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0,8 g/cm ³
Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
Not established.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products
fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Skin corrosion/irritation	: Not classified.	
Additional information	: Based on available data, the classification criteria are not met	
Serious eye damage/irritation	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified.	
Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Carcinogenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Reproductive toxicity	: Not classified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure Additional information	Not classifiedBased on available data, the classification criteria are not met
STOT-repeated exposure Additional information	Not classifiedBased on available data, the classification criteria are not met
Aspiration hazard Additional information	Not classifiedBased on available data, the classification criteria are not met
WS 1501 S	
Vaporizer	Aerosol
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.

Potential adverse h	numan	health	effects	and
symptoms				

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short- term (acute)	: Not classified
Hazardous to the aquatic environment, long- term (chronic)	: Not classified

12.2. Persistence and degradability	
WS 1501 S	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
WS 1501 S	
Bioaccumulative potential	Not established.
Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas (68512-91-4)	
BCF fish 1	74
Log Kow	2,76
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessme	ent
No additional information available	
12.6. Other adverse effects	
Additional information	: Avoid release to the environment.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
CECTION 44. Transport information	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / A	DN
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950
UN-No. (IATA)	: 1950
UN-No. (ADN)	: 1950
UN-No. (RID)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Proper Shipping Name (ADN)	: AEROSOLS

Safety Data Sheet

Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
Transport document description (ADN)	: UN 1950 AEROSOLS, 2.1
Transport document description (RID)	: UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es) ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
	2
	•
Transport hazard class(es) (IATA)	: 2.1 : 2.1
Hazard labels (IATA)	. 2.1
ADN	
Transport hazard class(es) (ADN)	: 2.1
Danger labels (ADN)	: 2.1
	2
	▼
Transport hazard class(es) (RID)	: 2.1 : 2.1
Danger labels (RID)	. 2.1
14.4. Packing group	
Packing group (ADR) Packing group (IMDG)	: Not applicable : Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
2020/03/03	EN (Exclipt) 60

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) wit	h its amendment Regulation (EU) 2015/830
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
2020/03/03	EN (English) 7/9

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve
3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	WS 1501 S - Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve - calcium bis(dinonylnaphthalenesulphonate) - Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	calcium bis(dinonylnaphthalenesulphonate) - Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference	: Water hazard class (WGK) 3, Highly hazardous to water (Classification according to VwVwS, Annex 4)	
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV	: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)	
Netherlands		
SZW-lijst van kankerverwekkende stoffen	: Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, Benzenesulfonic acid, mono-C1 24-alkyl derivs., calcium salts are listed	6-
SZW-lijst van mutagene stoffen	: Hydrocarbons, C3-4-rich, petroleum distillate, Petroleum gas, Benzenesulfonic acid, mono-C1 24-alkyl derivs., calcium salts are listed	6-
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed	
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed	
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed	
Denmark		
Class for fire hazard	: Class II-1	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Store unit	: 5 liter
Classification remarks	 R10 <h222;h229>; Emergency management guidelines for the storage of flammable liquids must be followed</h222;h229>
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains . May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.